

NIO eL6



PRIJSLIJST

NEDERLAND

Please find the
English Version
below

NIO eL6

Overzicht

Prijzen & Opties

- Voertuig & Accu
 - Velgen & Remklauwen
 - Exterieur- & Interieurkleuren
 - Comfortpakket
 - Lounge-stoel
 - NOMI
 - Verdere opties
-

Subscription-varianten

- Beschikbare varianten
 - Beschikbare kleurencombinaties
-

Standaarduitrusting

- Specificaties
- Prestaties
- E-Aandrijflijn
- Laadkabels
- Onderstel
- Exterieur
- Interieur
- Climate Control
- Stoelen
- Smart Cockpit
- Assisted and Intelligent Driving Hardware
- Assisted and Intelligent Driving Features
- Veiligheid
- Standaard accessoires

NIO eL6

Prijzen & Opties

NIO eL6

Voertuig & Accu

Voertuig (inclusief accu)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Accu- capaciteit (kWh)	WLTP- range (km)	CO2- uitstoot	Netto- catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten- adviesprijs**
NIO	eL6	AWD	360/490	75	406	0	€ 54.934,71	€ 11.536,29	€ 0	€ 66.471	€ 67.900
NIO	eL6	AWD	360/490	100	529	0	€ 62.372,73	€ 13.098,27	€ 0	€ 75.471	€ 76.900

Voertuig met BaaS (in combinatie met Battery-as-a-Service)

Merk	Model	Aandrijving	Vermogen (kW/pk)	Accu- capaciteit (kWh)	WLTP- range (km)	CO2- uitstoot	Netto- catalogusprijs*	BTW	BPM	Fiscale waarde	Consumenten- adviesprijs**
NIO	eL6	AWD	360/490	75	406	0	€ 45.017,36	€ 9.453,64	€ 0	€ 66.471	€ 55.900
NIO	eL6	AWD	360/490	100	529	0	€ 45.017,36	€ 9.453,64	€ 0	€ 75.471	€ 55.900

BaaS-abonnement per maand (Battery-as-a-Service)

Accucapaciteit (kWh)	Netto	BTW	Totaal	Bruto prijs accu
75	€ 140	€ 29	€ 169	€ 12.000
100	€ 239	€ 50	€ 289	€ 21.000

* Netto-catalogusprijs en consumentenadviesprijs van voertuig met BaaS (Battery-as-a-Service) zijn exclusief accu.

** Consumentenadviesprijs bevat rijklaarmaakkosten t.w.v. € 1.429,00 incl. btw. De rijklaarmaakkosten bevatten o.a. volle accu, transportkosten, reinigen binnen- en buitenkant, logistieke afhandeling, twee kentekenplaten en een afleverinspectie. Recyclingbijdrage auto (€ 22,50 incl. btw), recyclingbijdrage accu (€65,00 incl. btw), kentekenregistratie (€ 43,40 btw-vrij) en tenaamstelling (€ 11,40 btw-vrij).

NIO eL6

Velgen & Remklauwen



20" Black Cyclone lichtmetalen velgen

Met 255/50 R20 Low Rolling Resistance & Noise-Reducing banden

Standaard



20" Snowflake lichtmetalen velgen

Met 255/50 R20 Low Rolling Resistance & Noise-Reducing banden

€ 500



21" Whirlwind lichtmetalen velgen (nog niet beschikbaar)

Met 265/45 R21 Low Rolling Resistance & Noise-Reducing banden

€ 1.500



21" Acutus Carbon Fiber lichtmetalen velgen

Met 265/45 R21 Self-Sealing & Noise-Reducing banden

€ 2.500

Kleur remklauwen voor & achter



Black

Standaard



Airglow Orange

€ 500

NIO eL6

Exterieurkleuren




Deep Black
€ 0



Star Grey
€ 0




Cloud White
€ 0



Stratosphere Blue
€ 0




Airspace Blue
€ 1.680



Arctic Green
€ 1.680



Southern Star
€ 1.680



Luminous Orange
€ 1.680




Galaxy Shadow
€ 1.680




Sunlight Gold
€ 1.680

Interieurkleuren




Warm Gravel



Onyx Black



K2 Grey



Sepia Brown

Interieur

Warm Gravel

Hemelbekleding

Black

Smart Key

White

€ 0

Onyx Black

Black

Black

€ 0

K2 Grey

Black

White

€ 0

Sepia Brown

Black

White

€ 800

NIO eL6

Comfortpakket

- Verlichte instaplijsten
- Stuurwielverwarming
- Stoelventilatie voor
- Massagefunctie voor
- Stoelverwarming achter
- Slim geursysteem

€ 1.500

Volledig Comfortpakket

- Comfortpakket
- Stoelventilatie achter
- Massagefunctie achter

€ 2.250

Lounge-stoel



Lounge-passagiersstoel

- 14-voudig elektrisch verstelbaar
- 4-voudige lendensteunverstelling
- In lengte verstelbaar zitvlak
- Beenondersteuning
- Voetensteun

€ 1.000

NIO eL6

NOMI



NOMI Halo

Standaard



NOMI Mate

€ 600



Verwarmde ruitenwissers

Verwarmde zone rondom de ruitenwissers voor het sneller ontdooien van ijs

€ 150



Trailerpakket

Elektrisch uitklapbare trekhaak (max. trekgewicht 1.200 kg, kogeldruk 75 kg) incl. Trailer Mode voor aangepaste voertuiginstellingen

€ 1.200

NIO eL6

Subscription-varianten

NIO eL6

Beschikbare varianten

	Base	Premier
Accucapaciteit	75 kWh	100 kWh
Velgen & Banden	20" Black Cyclone lichtmetalen velgen met 255/50 R20 Low Rolling Resistance banden	21" Acutus Carbon Fiber lichtmetalen velgen met 265/45 R21 Self-Sealing & Noise-Reducing banden
Kleur remklauwen	Black	Airglow Orange
Volledig Comfortpakket	Niet inbegrepen	Inbegrepen
Lounge-stoel	Niet inbegrepen	Inbegrepen
NOMI	NOMI Halo	NOMI Mate
Verwarmde ruitenwissers	Inbegrepen	Inbegrepen
Trailerpakket	Niet inbegrepen	Inbegrepen

Beschikbare kleurencombinaties

Exterieur	Interieur	Hemelbekleding	Smart Key
Deep Black	Onyx Black	Black	Black
Cloud White	Onyx Black	Black	Black
Star Grey	Sepia Brown	Black	White
Stratosphere Blue	Warm Gravel	Black	White
Sunlight Gold	Warm Gravel	Black	White
Arctic Green	K2 Grey	Black	White

NIO eL6

Standaarduitrusting

NIO eL6

Specificaties



2.303 kg

Ledig gewicht met 75 kWh accu

2.323 kg

Ledig gewicht met 100 kWh accu

579 l

Inhoud bagageruimte

Met neergeklapte achterbank: 1.430 l

Ondervloer: 89 l

0,25

Weerstandscoefficiënt (Cd)

Additionele specificaties:

Zitplaatsen	5	Spoorbreedte voor	1.711 mm
Lengte	4.854 mm	Spoorbreedte achter	1.711 mm
Breedte	2.212 mm	Draaicirkel	12,2 m
Breedte (spiegels ingeklapt)	1.995 mm	Bodemvrijheid (beladen)	165 mm
Hoogte	1.703 mm	Toegestane max. massa	2.843 kg
Wielbasis	2.915 mm	Max. laadvermogen	540 kg (75 kWh)
			520 kg (100 kWh)

De bovenstaande informatie is alleen voor informatieve doeleinden. Alle gegevens zijn gehomologeerde gegevens of technische schattingen die kunnen verschillen als gevolg van verschillende testfactoren zoals locatie, weer- en wegomstandigheden, accuniveau, lading, banden etc.

NIO eL6

Prestaties



4,5 s
0-100 km/u

200 km/u
Topsnelheid

Intelligent E-AWD

5 Basis rijmodi

- Eco
- Comfort
- Sport
- Sport+
- Custom

4 Scenario-gebaseerde rijmodi

- Snow
- Sand
- Wet
- Trailer (met Trailerpakket)

De bovenstaande informatie is alleen voor informatieve doeleinden. Alle gegevens zijn gehomologeerde gegevens of technische schattingen die kunnen verschillen als gevolg van verschillende testfactoren zoals locatie, weer- en wegomstandigheden, accuniveau, lading, banden etc.

NIO eL6

E-Aandrijflijn

360 kW / 490 pk

Max. vermogen

700 Nm

Max. koppel

150 kW / 204 pk

Electric Drive System (EDS) voor

210 kW / 286 pk

Electric Drive System (EDS) achter

0

CO₂-uitstoot*

75 kWh accu

WLTP-actieradius

Tot 406 km

Max. laadvermogen

11 kW AC / 140 kW DC

Snellaadtijd

10 – 80%: 30 min

100 kWh accu

WLTP-actieradius

Tot 529 km

Max. laadvermogen

11 kW AC / 125 kW DC

Snellaadtijd

10 – 80%: 40 min

* Energieverbruik (WLTP): 20,4 - 22,1 kWh/100km. Alle CO₂-emissies en overige waarden gerelateerd aan het verbruik zijn opgegeven volgens de wettelijk geldende procedures. Alle waarden zijn op basis van de Worldwide harmonized Light vehicles Test Procedure (WLTP). Het praktijkverbruik wijkt af van de WLTP-opgaves door unieke situaties als rijgedrag, weersomstandigheden of belasting van het voertuig. Voor meer informatie omtrent tips omtrent efficiënt rijden kijk op www.hetnieuwerijden.nl.

NIO eL6

Laadkabels

Portable Charger

Standaard	IEC Type 2
Ingangsspanning	230 V AC 1 fase
Max. stroomsterkte	10 A
Max. laadvermogen	2,3 kW
Lengte	6,5 m
Gewicht	2,5 kg

- Laden met 10A (2,3 kW) aan een standaard stopcontact
- LED-lampjes die de laadstatus aangeven
- 6,5 m kabel voor flexibele toepassing
- Met overspannings-, aardlek- en oververhittingsbeveiliging

Mode 3 Public Charging Cable

Standaard	IEC Type 2
Ingangsspanning	400 V 3 fase
Max. stroomsterkte	32 A
Max. laadvermogen	22 kW
Lengte	7 m
Gewicht	5,2 kg

- Geleverd met klittenband voor eenvoudig bundelen en dragen
- Gemaakt van hittebestendige en brandvertragende materialen

NIO eL6

Onderstel



- Carrosserie van hoogwaardig staal en aluminium
- Integraal gegoten volledig aluminium achternvloer
- 50:50 voor- en achterasbelastingsverhouding
- Five-Link voorwielophanging
- Multi-Link achterwielophanging
- Continuous Damping Control (CDC)
- Electric Power Steering (EPS)
- Intelligent Smooth Stop (ISS)
- NIO-remklauwen voor met 4 zuigers
- Zwevende remklauwen met enkele zuiger achter
- Regeneratief remsysteem
- Electric Parking Brake (EPB) & Autohold

NIO eL6


Exterieur



- Moon exterieurpakket
- Dual-Beam LED-koplampen
- Adaptieve Matrix LED-koplampen
- Adaptief grootlicht
- Adaptief koplampstelsysteem
- Auto-Leveling koplampen
- Double-Dash LED-dagrijverlichting
- Adaptieve LED-mistlampen
- Dynamische LED-richtingaanwijzers
- illumiBlade-achterlicht
- Elektrisch panoramaschuifdak met zonnescerm
- Auto-Flush-deurgrepen
- Soft-Close-deuren
- Elektrische achterklep met voetsensor
- Smart Charge-aansluiting (linksachter)
- Privacyglas achter
- Gelamineerd akoestisch glas
- UV- en warmtewerend glas
- Verwarmde buitenspiegels
- Elektrisch inklapbare buitenspiegels
- Automatisch dimmende buitenspiegels
- Surround Lights buitenspiegels
- Automatische ruitenwissers met regensensor
- Ruitenwissers met sproeikop
- Dakrails (max. daklast 75 kg)

NIO eL6

Interieur



- Duurzaam Rattan interieurelementen
- Clean+ Composite & Haptex® interieur
- Microfiber hemelbekleding
- Microfiber stuurwiel
- Elektrisch verstelbaar stuurwiel
- Driespaaks sportstuurwiel
- LED-leeslampjes
- Ambient Lighting in 256 kleuren
- Extra grote en verlichte make-upspiegels
- Automatisch dimmende binnenspiegel
- Metalen dorpelplaat achterklep
- Open opbergruimte middenconsole
- Smart Safe Box
- Kofferbakopslag ondervloer
- Hoedenplank
- Ladingsverankeringen
- 1x USB Type-A-aansluiting (2,5 W)
- 3x USB Type-C-aansluiting (60 W)
- 2x 12V-aansluiting (voor en achter)
- 2x ISOFIX

NIO eL6

Climate Control



- Automatic Climate Control met 3 zones
- Warmtepompsysteem
- Slimme onzichtbare ventilatieroosters
- Slim luchtkwaliteitssysteem
- Ionisator
- PM2,5-sensor
- Antimicrobieel en anti-allergeen actieve koolstof luchtfilter

NIO eL6

Stoelen



- Stoelbekleding van duurzaam Haptex® lederlook
- 14-voudig elektrisch verstelbare voorstoelen met 4-voudige lendensteunverstelling en in lengte verstelbaar zitvlak
- 4-voudig verstelbare Aviation-hoofdsteunen voor
- Luchtkussensysteem voor
- Voorstoelen met geheugenfunctie en Easy Entry
- Stoelverwarming voor
- 2-voudig verstelbare hoofdsteunen achter
- Elektrisch verstelbare rugleuning achter
- Multifunctionele middenarmsteun achter
- In delen neerklapbare achterbank (40:20:40)

NIO eL6

Smart Cockpit



- 10.2" HDR digitaal instrumentenpaneel
- 12.8" AMOLED centrale display
- Enhanced Head-Up Display
- 6.6" HDR touch display achter
- 7.1.4 Immersive Sound System (23 speakers, 1.000 W, Dolby Atmos)
- EP Sound Effect ¹
- Slimme cabinecamera
- Draadloze oplader (Qi, max. 40 W)
- 4K Dash Cam
- Remote Connectivity Control
- Smart Car Finder
- 4G-netwerk
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB Smart Key
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (navigatie, actuele verkeersinformatie, zoekfunctie)
- 3rd-Party Service-integratie
- User Account System
- NIO Call & eCall

NIO eL6

Assisted and Intelligent Driving Hardware



NIO Adam
Super Computing

NIO Aquila
Super Sensing

33 sensoren met hoge prestaties:

- 1x Hoge-resolutie-LiDAR met extra groot bereik
- 7x 8 MP hoge-resolutiecamera
- 4x 3 MP camera met hoge gevoeligheid
- 1x Advanced Driver Monitoring System (ADMS)
- 5x Millimeter-Wave-radar
- 12x Ultrasonische sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

NIO eL6

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)
- Go Notifier
- Nearby Summon ¹
- Remote Parking Assistant (RPA) ¹

NIO eL6

Veiligheid



- 2x Airbags voor
- 2x Zij-airbags voor
- 2x Gordijnairbags
- Airbag middenvoor
- 360° HD Surround View System
- Parkeersensoren voor en achter
- Guardian Mode ¹
- Doorzichtig chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Elektrisch kinderslot
- Alarmsysteem
- Voetgangerswaarschuwingssysteem
- Anti-Lock Braking System (ABS)
- Electronic Brake-force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)
- Hill Descent Control (HDC)
- Roll Stability Control (RSC)

NIO eL6

Standaard accessoires



- Vloermatten
- Geurensset (3 flacons, alleen bij Comfortpakket)
- Bandenreparatieset ²
- EHBO-kit
- Gevarendriehoek
- Veiligheidsvest
- Sleepoog

1. Geselecteerde functies worden vrijgegeven via Firmware Over-the-Air.

2. Bandenreparatieset bevat bandenafdichtmiddel en luchtpomp.

NIO eL6

Garantie

Basis

60 maanden / 150.000 km

Accu

96 maanden / 160.000 km

Anti-corrosie

120 maanden / onbeperkt km

Uitgebreid NIO-aanbod

Wieluitlijning

Na de eerste 6 maanden / 5.000 km

Slijtage van onderdelen

Type 1*

6 maanden /
10.000 km

Type 2**

12 maanden /
20.000 km

Type 3***

36 maanden /
onbeperkt km

* Filter airconditioning, ruitenwisser

** Remblok, sleutelbatterij, zekering en relais (zonder ontsteking)

*** 12V-hulpaccu


NIO eL6

Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740

Naam of handelsmerk leverancier		GOODYEAR	
Handelsbenaming		EAGLE F1 ASYMMETRIC 3 SUV	
Bandentypeaanduiding	Bandenklasse	588527	C1
Bandenmaataanduiding		255/50R20	
Snelheidscategoriesymbool		V 240 km/h	
Belastingsindex		109	
Belastingsversie		XL	
Brandstofefficiëntieklasse		A	
Klasse grip op nat wegdek		A	
Rolgeluidemissieklasse	Rolgeluidemissiewaarde	A	69 dB
Band voor gebruik bij zware sneeuwval		No	
Band voor gebruik bij zware ijscondities		No	
Datum aanvang productie (Week / Jaar)		10/22	
Datum beëindiging productie (Week / Jaar)		-	
Adres van de leverancier		Goodyear EPREL Customer Support, Ave nue Gordon Smith, 7750 Colmar-Berg, LU	
Aanvullende informatie			




NIO eL6

Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740

Naam of handelsmerk leverancier		MICHELIN	
Handelsbenaming		PILOT SPORT 4 SUV A FRV	
Bandentypeaanduiding	Bandenklasse	140314	C1
Bandenmaataanduiding		265/45R21	
Snelheidscategorie-symbool		W 270 km/h	
Belastingindex		108	
Belastingsversie		XL	
Brandstofefficiëntieklasse		A	
Klasse grip op nat wegdek		B	
Rolgeluidemissieklasse	Rolgeluidemissiewaarde	B	72 dB
Band voor gebruik bij zware sneeuwval		No	
Band voor gebruik bij zware ijscondities		No	
Datum aanvang productie (Week / Jaar)		26/21	
Datum beëindiging productie (Week / Jaar)		-	
Adres van de leverancier		Service Consommateurs Michelin, Place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR	
Aanvullende informatie		265/45 R21 108W XL PILOT SP ORT 4 SUV ACOUSTIC FRV MI	




NIO eL6


Bandenlabels

Productinformatieblad

Gedelegeerde Verordening (EU) 2020/740

Naam of handelsmerk leverancier			PIRELLI
Handelsbenaming			PZERO
Bandentypeaanduiding	Bandenklasse	42329	C1
Bandenmaataanduiding			265/45R21
Snelheidscategorie-symbool			V 240 km/h
Belastingsindex			108
Belastingsversie			XL
Brandstofefficiëntieklasse			B
Klasse grip op nat wegdek			A
Roelgeluidemissieklasse	Roelgeluidemissiewaarde	A	70 dB
Band voor gebruik bij zware sneeuwval			No
Band voor gebruik bij zware ijscondities			No
Datum aanvang productie (Week / Jaar)			50/22
Datum beëindiging productie (Week / Jaar)			-
Adres van de leverancier			Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT
Aanvullende informatie			





nio.com/el6

Disclaimer: Alle informatie in deze prijslijst is gebaseerd op de specificaties van de auto's zoals die van toepassing waren bij publiceren van deze prijslijst. De uitrusting of technische specificaties kunnen per markt verschillen. Impressies in deze prijslijst zijn onderdeel van wereldwijd materiaal en kunnen voorzien zijn van opties die niet leverbaar zijn in Nederland. Raadpleeg altijd onze klantenservice of bezoek ons als je vragen hebt over de specificaties. Wijzigingen, druk- en zetfouten voorbehouden.

Neem voor meer informatie contact op met je NIO Specialist, stuur een e-mail naar contact.nl@nio.io of bel 00 8000 999 6699.

NIO eL6



PRICE LIST

THE NETHERLANDS

NIO eL6

Overview

Sales Prices & Options

- Vehicle & Battery
 - Wheels & Calipers
 - Exterior & Interior Colors
 - Comfort Package
 - Lounge Seat
 - NOMI
 - Further Options
-

Subscription Variants

- Available Variants
 - Available Color Combinations
-

Standard Features

- Specifications
- Performance
- E-Powertrain System
- Charging Cables
- Chassis System
- Exterior Features
- Interior Features
- Climate Control System
- Seat System
- Smart Cockpit
- Assisted and Intelligent Driving Hardware System
- Assisted and Intelligent Driving Features
- Safety Features
- Standard Accessories

NIO eL6

Sales Prices & Options

NIO eL6

Vehicle & Battery

Vehicle

(including battery)

Brand	Model	Drive	Power (kW/pk)	Battery capacity (kWh)	WLTP range (km)	CO2 emission	Net list price*	VAT	BPM	Fiscal value	Consumer price**
NIO	EL6	AWD	360/490	75	406	0	€ 54,934.71	€ 11,536.29	€ 0	€ 66,471	€ 67,900
NIO	EL6	AWD	360/490	100	529	0	€ 62,372.73	€ 13,098.27	€ 0	€ 75,471	€ 76,900

Vehicle with BaaS

(in combination with Battery-as-a-Service)

Brand	Model	Drive	Power (kW/pk)	Battery capacity (kWh)	WLTP range (km)	CO2 emission	Net list price*	VAT	BPM	Fiscal value	Consumer price**
NIO	EL6	AWD	360/490	75	406	0	€ 45,017.36	€ 9,453.64	€ 0	€ 66,471	€ 55,900
NIO	EL6	AWD	360/490	100	529	0	€ 45,017.36	€ 9,453.64	€ 0	€ 75,471	€ 55,900

BaaS subscription per month (Battery-as-a-Service)

Battery capacity (kWh)	Net	VAT	Total	Gross price battery
75	€ 140	€ 29	€ 169	€ 12,000
100	€ 239	€ 50	€ 289	€ 21,000

* Net list price and consumer price of vehicle with BaaS (Battery-as-a-Service) do not include battery price.

** Consumer price includes delivery costs of € 1,429.00 incl. VAT. The delivery costs include a full battery, transport costs, interior and exterior cleaning, logistic handling, two license plates and a delivery inspection. Recycling fee car (€ 22.50 incl. VAT), recycling fee battery (€ 65.00 incl. VAT), license plate fee (€ 43.40 VAT-free) and name registration fee (€ 11.40 VAT-free).

NIO eL6

Wheels & Calipers



20" Black Cyclone Alloy Wheels

With 255/50 R20 Low Rolling Resistance & Noise-Reducing Tires

Standard



20" Snowflake Alloy Wheels

With 255/50 R20 Low Rolling Resistance & Noise-Reducing Tires

€ 500



21" Whirlwind Alloy Wheels (not yet available for order)

With 265/45 R21 Low Rolling Resistance & Noise-Reducing Tires

€ 1,500



21" Acutus Carbon Fiber Alloy Wheels

With 265/45 R21 Self-Sealing & Noise-Reducing Tires

€ 2,500

Front & Rear Brake Caliper Color



Black

Standard



Airglow Orange

€ 500

NIO eL6

Exterior Colors




Deep Black
€ 0



Star Grey
€ 0



Cloud White
€ 0




Stratosphere Blue
€ 0




Airspace Blue
€ 1,680



Arctic Green
€ 1,680



Southern Star
€ 1,680



Luminous Orange
€ 1,680




Galaxy Shadow
€ 1,680




Sunlight Gold
€ 1,680

Interior Colors




Warm Gravel



Onyx Black



K2 Grey



Sepia Brown

Interior

Warm Gravel

Headliner

Black

Key Fob

White

€ 0

Onyx Black

Black

Black

€ 0

K2 Grey

Black

White

€ 0

Sepia Brown

Black

White

€ 800

NIO eL6

Comfort Package

- Illuminated Door Sill Inlays
- Steering Wheel Heating
- Front Seat Ventilation
- Front Seat Massage
- Rear Seat Heating
- Smart Fragrance System

€ 1,500

Full Comfort Package

- Comfort Package
- Rear Seat Ventilation
- Rear Seat Massage

€ 2,250

Lounge Seat



Passenger Lounge Seat

- 14-Way Power Adjustment
- 4-Way Lumbar Support
- Power Cushion Extension
- Leg Support
- Footrest

€ 1,000

NIO eL6

NOMI



NOMI Halo

Standard



NOMI Mate

€ 600



Heated Wiper Bay

Fast Ice Thawing in Windshield Wiper Docking Area

€ 150



Trailer Package

Electrically Deployable Tow Bar (1,200 kg Towing Capacity, 75 kg Towing Hook Load Capacity) incl. Trailer Mode

€ 1,200

NIO eL6

Subscription Variants

NIO eL6

Available Variants

	Base	Premier
Battery	75 kWh	100 kWh
Wheels	20" Black Cyclone Alloy Wheels with 255/50 R20 Low Rolling Resistance Tires	21" Acutus Carbon Fiber Alloy Wheels with 265/45 R21 Self-Sealing & Noise-Reducing Tires
Caliper Color	Black	Airglow Orange
Full Comfort Package	Not Included	Included
Lounge Seat	Not Included	Included
NOMI	NOMI Halo	NOMI Mate
Heated Wiper Bay	Included	Included
Trailer Package	Not Included	Included

Available Color Combinations

Exterior	Interior	Headliner	Key Fob
Deep Black	Onyx Black	Black	Black
Cloud White	Onyx Black	Black	Black
Star Grey	Sepia Brown	Black	White
Stratosphere Blue	Warm Gravel	Black	White
Sunlight Gold	Warm Gravel	Black	White
Arctic Green	K2 Grey	Black	White

NIO eL6

Standard Features

NIO eL6

Specifications



2,303 kg

Curb Weight with 75 kWh Battery

2,323 kg

Curb Weight with 100 kWh Battery

579 l

Cargo Volume

With Rear Seats Folded: 1,430 l

Underfloor Storage: 89 l

0.25

Drag Coefficient (Cd)

Additional Specifications:

Seating	5	Front Track	1,711 mm
Length	4,854 mm	Rear Track	1,711 mm
Width	2,212 mm	Turning Circle	12.2 m
Width (Mirrors Folded)	1,995 mm	Ground Clearance (Laden)	165 mm
Height	1,703 mm	Gross Vehicle Weight	2,843 kg
Wheelbase	2,915 mm	Maximum Payload Capacity	540 kg (75 kWh) 520 kg (100 kWh)

The above information is for informational purposes only. All data is homologated data that may differ due to different test factors such as location, weather, road conditions, battery level, load, tires etc.

NIO eL6

Performance



4.5 s
0-100 km/h

200 km/h
Top Speed

Intelligent E-AWD

5 Basic Drive Modes

- Eco
- Comfort
- Sport
- Sport+
- Custom

4 Scenario-Based Drive Modes

- Snow
- Sand
- Wet
- Trailer (with Trailer Package)

The above information is for informational purposes only. All data is homologated data that may differ due to different test factors such as location, weather, road conditions, battery level, load, tires etc.

NIO eL6

E-Powertrain System

360 kW / 490 hp

Maximum Power

700 Nm

Maximum Torque

150 kW / 204 hp

Electric Drive System (EDS) Front

210 kW / 286 hp

Electric Drive System (EDS) Rear

0

CO₂-Emissions*

75 kWh Battery

WLTP Range

Up to 406 km

Maximum Charge Power

11 kW AC / 140 kW DC

Fast Charge Time

10 – 80%: 30 min

100 kWh Battery

WLTP Range

Up to 529 km

Maximum Charge Power

11 kW AC / 125 kW DC

Fast Charge Time

10 – 80%: 40 min

* Energy Consumption (WLTP): 20.4 - 22.1 kWh/100km. All CO₂ emissions and other values related to consumption are specified according to the legally applicable procedures. All values are based on the Worldwide harmonized Light vehicles Test Procedure (WLTP). The actual consumption differs from the WLTP specifications due to unique situations such as driving behaviour, weather conditions or vehicle load. For more information about tips on efficient driving, visit www.hetnieuwerijden.nl.

NIO eL6

Charging Cables

Portable Charger

Standard	IEC Type 2
Input Voltage	230 V AC single-phase
Nominal Current	10 A
Nominal Power	2.3 kW
Cable Length	6.5 m
Weight	2.5 kg

-
- Charge with 10A (2.3 kW) at standard household sockets
 - LED lights indicating the charging status
 - 6.5 m cable for flexible application
 - With surge, grounding and overheating protection

Mode 3 Public Charging Cable

Standard	IEC Type 2
Input Voltage	400 V 3-phase
Nominal Current	32 A
Nominal Power	22 kW
Cable Length	7 m
Weight	5.2 kg

-
- Comes with velcro for bundling and carrying
 - Made of heat-resistant and flame-retardant materials

NIO eL6

Chassis System



- Ultrahigh-Strength Steel & Aluminum Body
- Integral Casting All-Aluminum Rear Floor
- 50:50 Front & Rear Axle Load Ratio
- Five-Link Front Suspension
- Multi-Link Rear Suspension
- Continuous Damping Control (CDC)
- Electric Power Steering (EPS)
- Intelligent Smooth Stop (ISS)
- Front NIO 4-Piston Brake Caliper
- Rear Single-Piston Floating Brake Caliper
- Regenerative Braking System
- Electric Parking Brake (EPB) & Autohold

NIO eL6

Exterior Features



- Moon Theme Exterior Pack
- Dual-Beam LED Headlights
- Adaptive Matrix LED Headlights
- Adaptive Driving Beam
- Adaptive Frontlighting System
- Auto-Levelling Headlights
- Double-Dash Daytime Running Lights
- Adaptive Cornering LED Fog Lights
- LED Sweeping Turn Signals
- illumiBlade Taillight
- Power Panoramic Sunroof & Sunshade
- Automatic Flush Door Handles
- Soft-Close Doors
- Kick-Activated Power Tailgate
- Smart Charge Port Cover (Rear Left)
- Rear Privacy Glass
- Full Laminated Acoustic Glass
- Anti-UV and Heat-Insulating Glass
- Heated Side Mirrors
- Auto-Folding Side Mirrors
- Auto-Dimming Side Mirrors
- Side Mirror Surround Lights
- Automatic Rain-Sensing Windshield Wipers
- Windshield Wipers with Spray Nozzle
- Roof Rail (max. Capacity 75 kg)

NIO eL6

Interior Features



- Sustainable Rattan Decor
- Clean+ Composite & Haptex Decor
- Microfiber Headliner
- Microfiber Leather Steering Wheel
- Electric Tilt & Telescopic Steering Wheel
- Three-Spoke Sport Steering Wheel
- LED Reading Lights
- 256-Color Ambient Lighting
- Extra-Large Illuminated Vanity Mirrors
- Auto-Dimming Rear View Mirror
- Metal Tailgate Sill Plate
- Center Console Open Storage
- Smart Safe Box
- Cargo Underfloor Storage
- Trunk Cover
- Cargo Tie-Downs
- 1x USB Type-A Port (2.5 W)
- 3x USB Type-C Port (60 W)
- 2x 12V Power Socket (Front & Back)
- 2x ISOFIX

NIO eL6

Climate Control System



- 3-Zone Automatic Climate Control
- Heatpump A/C System
- Smart Invisible Air Vents
- Smart Air Quality System
- Ionizer
- PM2.5 Sensor
- Antimicrobial and Anti-Allergen Activated Carbon Air Filter

NIO eL6

Seat System



- Haptex Perforated Artificial Leather Seats
- Front 14-Way Power Seats with 4-Way Lumbar Support and Power Cushion Extension
- Front 4-Way Aviation Headrests
- Front Seat Air Cushion
- Front Seat Memory and Easy Entry
- Front Seat Heating
- Rear 2-Way Headrests
- Rear Seat Electric Backrest Angle Adjustment
- Rear Multifunctional Center Armrest
- Split-Folding Rear Seats (40:20:40)

NIO eL6

Smart Cockpit



- 10.2" HDR Digital Instrument Cluster
- 12.8" AMOLED Center Display
- Enhanced Head-Up Display
- 6.6" Rear HDR Touch Display
- 7.1.4 Immersive Sound System (23 Speakers, 1,000 W, Dolby Atmos)
- EP Sound Effect ¹
- Smart Cabin Camera
- Wireless Charging Pad (Qi, max. 40 W)
- 4K Dash Camera
- Remote Connectivity Control
- Smart Car Finder
- 4G Network
- DAB/Online DAB
- Wi-Fi 6.0
- Bluetooth
- Ultra-Wideband (UWB)
- Digital Key
- 1x UWB-Based Smart Key Fob
- 1x NFC Key Card
- Firmware Over-the-Air (FOTA)
- NIO Auto Maps (Navigation, Real-Time Traffic Data, Poi Search)
- 3rd-Party Service Integration
- User Account System
- NIO Call & eCall

NIO eL6

Assisted and Intelligent Driving Hardware System



NIO Adam
Super Computing

NIO Aquila
Super Sensing

33 High-Performance Sensing Units:

- 1x Ultralong-Range High-Resolution LiDAR
- 7x 8MP High-Resolution Camera
- 4x 3MP High-Sensitization Dedicated Camera
- 1x Advanced Driver Monitoring System
- 5x Millimeter-Wave Radar
- 12x Ultrasonic Sensor
- Hands-Off Detection (HOD)
- 2x High-Precision Positioning Unit

NIO eL6

Assisted and Intelligent Driving Features



- Forward Collision Warning (FCW)
- Autonomous Emergency Braking (AEB)
- Blind Spot Detection (BSD)
- Lane Change Alert (LCA)
- Door Open Warning (DOW)
- Rear Cross Traffic Alert with Brake (RCTA-B)
- Front Cross Traffic Alert (FCTA)
- Lane Departure Warning (LDW)
- Lane Keeping Assist (LKA)
- Emergency Active Stop (EAS)
- Emergency Lane Keeping (ELK)
- Advanced Driver Monitoring System (ADMS)
- Intelligent Adaptive Cruise Control (i-ACC)
- Traffic Sign Recognition (TSR)
- Dynamic Environment Simulation & Display (ESD)
- Shiftless Automatic Parking Assist with Fusion (S-APA with Fusion)
- Power Swap with Assisted Parking (PSAP)
- Side Distance Indication System (SDIS)
- Lane Centering Control (LCC)
- Active Lane Change (ALC)
- Go Notifier
- Nearby Summon ¹
- Remote Parking Assistant (RPA) ¹

NIO eL6

Safety Features



- 2x Front Airbags
- 2x Front Side Airbags
- 2x Side Curtain Airbags
- Front Center Airbag
- 360° HD Surround View System
- Front & Rear Parking Radars
- Guardian Mode ¹
- Transparent Chassis
- Direct Tire Pressure Monitoring System (dTPMS)
- Power Child Locks
- Anti-Theft Alarm System
- Pedestrian Warning System
- Anti-Lock Braking System (ABS)
- Electronic Brake-Force Distribution (EBD)
- Traction Control System (TCS)
- Electronic Stability Control (ESC)
- Emergency Brake Assist (EBA)
- Hill Start Assist (HSA)
- Dynamic Wheel Torque Control (DWT)
- Cornering Brake Control (CBC)
- Hill Descent Control (HDC)
- Roll Stability Control (RSC)

NIO eL6

Standard Accessories



- Carpet Interior Mats
- 3x Bottle Fragrance Kit (only for Comfort Package)
- Tire Repair Toolkit ²
- First Aid Kit
- Warning Triangle
- Safety Vest
- Tow Hook

1. Selected features will be released via Firmware Over-the-Air.

2. Tire repair tool kit includes tire sealant and air pump.

NIO eL6

Warranty

Basic

60 Months/ 150.000 km

Battery

96 Months/ 160.000 km

Anti-Perforation (Corrosion)

120 Months/ unlimited km

Extended NIO Offers

Wheel Alignment

After first 6 Months/ 5.000 km

Wear Parts

Type 1*

6 Months/
10.000 km

Type 2**

12 Months/
20.000 km

Type 3***

36 Months/
unlimited km

* Air condition filter, wiper blade

** Brake pad, key battery, fuse and relay (without ignition)

*** 12V auxiliary battery


NIO eL6

Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark		GOODYEAR	
Commercial name or trade designation		EAGLE F1 ASYMMETRIC 3 SUV	
Tire type identifier	Tire class	588527	C1
Tire size designation		255/50R20	
Speed category symbol		V 240 km/h	
Load-capcity index		109	
Load version		XL	
Fuel efficiency class		A	
Wet grip class		A	
Ext. rolling noise class	Ext. rolling noise value	A	69 dB
Tire for use in severe snow conditions		No	
Tire for use in severe ice conditions		No	
Date of start of production (Week / Year)		10/22	
Date of end of production (Week / Year)		-	
Supplier's address		Goodyear EPREL Customer Support, Ave nue Gordon Smith, 7750 Colmar-Berg, LU	
Additional information			




NIO eL6

Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark		MICHELIN	
Commercial name or trade designation		PILOT SPORT 4 SUV A FRV	
Tire type identifier	Tire class	140314	C1
Tire size designation		265/45R21	
Speed category symbol		W 270 km/h	
Load-capacity index		108	
Load version		XL	
Fuel efficiency class		A	
Wet grip class		B	
Ext. rolling noise class	Ext. rolling noise value	B	72 dB
Tire for use in severe snow conditions		No	
Tire for use in severe ice conditions		No	
Date of start of production (Week / Year)		26/21	
Date of end of production (Week / Year)		-	
Supplier's address		Service Consommateurs Michelin, Place des Carmes-Déchaux 23, 63000 Clermont-Ferrand, FR	
Additional information		265/45 R21 108W XL PILOT SP ORT 4 SUV ACOUSTIC FRV MI	




NIO eL6


Tire Labels

Product Information Sheet

Delegated Regulation (EU) 2020/740

Supplier name or trademark			PIRELLI
Commercial name or trade designation			PZERO
Tire type identifier	Tire class	42329	C1
Tire size designation			265/45R21
Speed category symbol			V 240 km/h
Load-capcity index			108
Load version			XL
Fuel efficiency class			B
Wet grip class			A
Ext. rolling noise class	Ext. rolling noise value	A	70 dB
Tire for use in severe snow conditions			No
Tire for use in severe ice conditions			No
Date of start of production (Week / Year)			50/22
Date of end of production (Week / Year)			-
Supplier's address			Pirelli Contact Center, Viale Piero e Alberto Pirelli 25, Milan, IT
Additional information			





nio.com/el6

Disclaimer: As NIO will constantly retrofit its products and services, the above information may change and vary accordingly. We will spare no efforts in ensuring information completeness and accuracy. However, due to changing laws and regulations, differences in individual's understanding of relevant information, and untimeliness in information update, actual products and services offered may vary from the information contained in this document. Errors excepted.

For more information, please contact your NIO Fellow or send e-mail to contact.nl@nio.io or call 00 8000 999 6699.