



THE ALL-NEW
NIO eL8

Prijslijst | Modeljaar 2025

NEDERLAND - JUNI 2024

Please find the
English Version
below

THE ALL-NEW
NIO eL8

Specificaties

Afmetingen

| | |
|--------------------------------|----------|
| Lengte | 5.099 mm |
| Breedte (spiegels ingeklapt) | 2.073 mm |
| Breedte (spiegels uitgeklappt) | 2.199 mm |
| Hoogte | 1.750 mm |
| Wielbasis | 3.070 mm |
| Spoorbreedte voor | 1.692 mm |
| Spoorbreedte achter | 1.702 mm |
| Draaicirkel | 12,4 m |

Offroad

| | |
|---|--------|
| Bodemvrijheid (onbeladen, ledig gewicht) | 160 mm |
| Maximale waaddiepte | 450 mm |
| Aanloophoek (luchtvering standaardpositie) | 17° |
| Overloophoek (luchtvering standaardpositie) | 16,6° |
| Afloophoek (luchtvering standaardpositie) | 20° |

Gewichten

| | |
|--------------------------------|----------|
| Ledig gewicht (Standard Range) | 2.538 kg |
| Ledig gewicht (Long Range) | 2.558 kg |
| Max. toegestane massa | 3.190 kg |
| Max. daklast | 75 kg |

SPECIFICATIES

Prestaties

0-100 km/u acceleratie (Sport+)

4,1 s

Topsnelheid

200 km/u

Intelligent E-AWD



Electric Drive System (EDS) - Voor

Permanente magneet met SiC Power Module

Electric Drive System (EDS) - Achter

Inductiemotor

Vermogen (gecombineerd)

480 kW

Koppel (gecombineerd)

850 Nm

Weerstandscoefficiënt

0,25 Cd

Remafstand (100-0 km/u) (Performance banden)

34,3 m

Rijmodi

10

Camping Mode



Pet Mode



Standaard

* Bij laadstations die 660 A stroom leveren onder optimale omstandigheden. Met een typische oplader van derden die 500 A levert, bedraagt het laadvermogen maximaal 185 kW. De Long Range-batterij is verkrijgbaar in twee versies met verschillend pieklaadvermogen. Wanneer er een swap plaatsvindt in het BaaS-netwerk, kan de ontvangen Long Range-batterij variëren tussen 125 kW en 185 kW. Omgevingsomstandigheden kunnen de laadsnelheid beïnvloeden.

** De actieradius en het verbruik zoals hier weergegeven zijn gebaseerd op gehomologeerde gegevens volgens de Worldwide Harmonized Light Vehicle Test Procedure (WLTP)-normen. De werkelijke actieradius en het werkelijke verbruik kunnen variëren als gevolg van rijgedrag, optieconfiguratie, batterijleeftijd, banden, weg- en weersomstandigheden en de belading van de auto.

Laden en Actieradius

Standard Range nettocapaciteit

73,5 kWh

Long Range nettocapaciteit

90 kWh

Batterijwissel



AC laadvermogen (max.)

11 kW

DC laadvermogen (max.) (Standard Range)

140 kW

DC laadvermogen (max.) (Long Range)

125 / 240* kW

DC snellaadtijd (10-80%) (Standard Range)

30 min

DC snellaadtijd (10-80%) (Long Range)

40 / 20* min

Verbruik (Standard Range)**

22,0 - 23,1 kWh / 100 km

Verbruik (Long Range)**

21,2 - 22,3 kWh / 100 km

WLTP-actieradius gecombineerd (Standard Range)**

390 - 375 km

WLTP-actieradius gecombineerd (Long Range)**

510 - 487 km

SPECIFICATIES

Chassis

| | |
|--|------------------------------|
| Carrosserie- en chassisconstructie | Ultrasterk staal & aluminium |
| Integraal gegoten volledig aluminium achtervloer | ✓ |
| Mega Casting-chassisconstructie | ✓ |
| Gewichtsverdeling (voor- en achteras) | 50-50 |
| Double Wishbone-voorwielophanging | ✓ |
| Multi-Link-achterwielophanging | ✓ |
| Intelligente luchtvering - Dual Chamber | ✓ |
| Hydraulic Rebound Stop | ✓ |
| Continuous Damping Control (CDC) | ✓ |
| Electric Power Steering (EPS) | ✓ |
| Brembo-remklauwen voor met 6 zuigers | ✓ |
| Zwevende remklauwen achter met enkele zuiger | ✓ |
| Zwarte remklauwen | ✓ (met 20" velgen) |
| Airglow Orange remklauwen | ✓ (met 21" / 22" velgen) |
| Intelligent Smooth Stop (ISS) | ✓ |
| Regeneratief remsysteem | ✓ |

Exterieur

| | |
|---|--------------------|
| Moon exterieurpakket | ✓ |
| Active Air Grille | ✓ |
| Sensorgeactiveerde Smart Charge-aansluiting | ✓ |
| Double-Dash LED-dagrijverlichting | ✓ |
| Dual-Beam LED-koplampen | ✓ |
| Adaptieve Matrix LED-koplampen | ✓ |
| Adaptieve LED-mistlampen | ✓ |
| Dynamische LED-richtingaanwijzers | ✓ |
| illumiBlade-achterlicht | ✓ |
| Gelamineerd akoestisch glas (voorruit, zijkant, achter) | ✓ |
| Privacyglas achter | ✓ |
| UV- en warmtewerend glas | ✓ |
| Elektrisch panoramaschuifdak met zonnescerm | ✓ |
| Grootte van glazen panoramadak | 1,3 m ² |
| Auto-Flush-deurgrepen | ✓ |
| Soft-Close-deuren | ✓ |
| Verwarmde, automatisch dimmende, elektrisch inklapbare buitenspiegels | ✓ |
| Automatische ruitenwissers met regensensor | ✓ |
| Verwarmde ruitenwissers | ✓ |
| Onzichtbare achterruitenwisser | ✓ |
| Dakrails | ✓ |
| Elektrische achterklep met voetsensor | ✓ |
| Elektrisch uitklapbare trekhaak (inclusief Trailer Mode) | Optie (2.000 kg) |

SPECIFICATIES

Interieur

| | |
|---|------------------------|
| Interieurlengte | 1.931 mm |
| Interieurbreedte (voor) | 1.572 mm |
| Interieurbreedte (achter) | 1.553 mm |
| Hoofdruimte voor | 999 mm |
| Hoofdruimte achter | 996 mm |
| Hoofdruimte (3e zitrij) | 918 mm |
| Beenruimte achter | 1.135 mm |
| Beenruimte achter (3e zitrij) | 828 mm |
| Inhoud bagageruimte (stoelen rechtop) | 265 l |
| Inhoud bagageruimte (3e zitrij neergeklapt) | 810 l |
| Antibacteriële en vlekbestendige interieurbehandeling | ✓ |
| Duurzaam Rattan interieurelementen | ✓ |
| Microfiber hemelbekleding | ✓ |
| Dynamische Waterfall Ambient Lighting | ✓ |
| Ritmische luidsprekerafdekking | ✓ |
| Verlichte instaplijsten | ✓ |
| Smart Safe Box | ✓ |
| Slimme koelkast | ✓ (EL8 Executive) |
| Hoedenplank | ✓ |
| Scheidingswand kofferbakvloer | ✓ |
| Ladingsverankeringen | ✓ |
| Draadloze oplader 1e zitrij | ✓ 40 W |
| Draadloze oplader 2e zitrij | ✓ 40 W (EL8 Executive) |

| | | |
|--------------------------------|-------------------|--------------------|
| USB Type-C-aansluiting (2,5 W) | ✓ | 1x |
| USB Type-C-aansluiting (60 W) | ✓ | 7x |
| 12V-aansluiting | ✓ | 1x voor, 1x koffer |
| ISOFIX | ✓ | 4x |
| Executive middenconsole | ✓ (EL8 Executive) | |

Climate Control

| | |
|---|-----------|
| Automatic Climate Control | ✓ 5 zones |
| Slimme onzichtbare ventilatieroosters | ✓ |
| Slim geursysteem | ✓ |
| Slim luchtkwaliteitssysteem | ✓ |
| Ionisator | ✓ |
| PM2,5-sensor | ✓ |
| Antimicrobieel en anti-allergeen actieve koolstof luchtfilter | ✓ |

Stoelen

| | |
|--|-------------------|
| Stoelen | 6 |
| Premium voorstoelen met onafhankelijke hoofdsteunen | ✓ |
| Stoelbekleding van duurzaam Haptex lederlook | ✓ |
| 20-voudig elektrisch verstelbare Premium-bestuurdersstoel en 22-voudig elektrisch verstelbare Premium Lounge-passagiersstoel | ✓ |
| 14-voudig elektrisch verstelbare achterstoelen | ✓ (EL8) |
| 12-voudig elektrisch verstelbare achterstoelen met beensteun | ✓ (EL8 Executive) |

SPECIFICATIES

Stoelen

| | |
|---|-------------------------------|
| 2-voudig elektrisch verstelbare 3e zitrij | ✓ |
| Voorstoelen met geheugenfunctie en Easy Entry | ✓ |
| Stoelverwarming voor | ✓ |
| Stoelventilatie voor | ✓ |
| Hot Stone Massage voor | Optie (Premium Comfortpakket) |
| Luchtkussensysteem voor | ✓ (3 luchtkussens) |
| Geheugenfunctie achter | ✓ |
| Stoelverwarming achter | ✓ |
| Stoelventilatie achter | Optie (Premium Comfortpakket) |
| Hot Stone Massage achter | Optie (Premium Comfortpakket) |
| Luchtkussensysteem achter | ✓ |
| Easy Entry 3e zitrij | ✓ |
| Stoelverwarming 3e zitrij | Optie (Premium Comfortpakket) |
| In delen neerklapbare 3e zitrij (50:50) | ✓ |

Smart Cockpit

| | |
|------------------------------|-------|
| NIO Smart System - Banyan | ✓ |
| Firmware Over-the-Air (FOTA) | ✓ |
| Software Over-the-Air (SOTA) | ✓ |
| NOMI Halo | ✓ |
| NOMI Mate | Optie |
| NOMI GPT | ✓ |

✓ Standaard

| | | |
|---|---|----|
| 16.3" Head-Up Display | ✓ | |
| 10.2" HDR digitaal instrumentenpaneel | ✓ | |
| 12.8" AMOLED centrale display | ✓ | |
| 6.6" HDR touch display achter | ✓ | |
| 7.1.4 Immersive Sound System (23 Speakers, 2.230 W) | ✓ | |
| Tweeter | ✓ | 7x |
| Midrange | ✓ | 7x |
| Woofer | ✓ | 4x |
| Subwoofer | ✓ | 1x |
| 3D-oriëntatie | ✓ | 4x |
| Versterker | ✓ | 1x |
| Dirac Pro | ✓ | |
| Dolby Atmos | ✓ | |
| DAB/Online DAB | ✓ | |
| Bluetooth | ✓ | |
| Ultra Wideband (UWB) | ✓ | |
| Digital Key | ✓ | |
| UWB Smart Key | ✓ | |
| NFC Key Card | ✓ | |
| NIO Call & eCall | ✓ | |

SPECIFICATIES

Assisted and Intelligent Driving Hardware

| | | |
|---|---|-----|
| NIO AQUILA Super Sensing met 33 sensoren met hoge prestaties: | ✓ | |
| Hoge-resolutie-LiDAR met extra groot bereik | ✓ | |
| 8 MP hoge-resolutiecamera | ✓ | 7x |
| 3 MP hooggevoelige Surround-view camera | ✓ | 4x |
| Advanced Driver Monitoring System | ✓ | |
| Millimeter-Wave-radar | ✓ | 5x |
| Ultrasone sensor | ✓ | 12x |
| Hands-Off Detection (HOD) | ✓ | |
| High-Precision Positioning Unit | ✓ | 2x |
| NIO ADAM Super Computing | ✓ | |
| Cockpit Domain Controller | ✓ | |
| Intelligent Chassis Controller | ✓ | |

| | |
|--|---|
| Adaptive Cruise Control (ACC) | ✓ |
| Lane Centering Control (LCC) | ✓ |
| Active Lane Change (ALC) | ✓ |
| Predictive Speed Control (PSC) | ✓ |
| Speed Limiter (LIM) | ✓ |
| Smart Speed Assist (SSA) | ✓ |
| Front Cross Traffic Alert (FCTA) | ✓ |
| Rear Cross Traffic Alert with Brake (RCTA-B) | ✓ |
| Driver Monitoring System (DMS) | ✓ |
| Dynamic Environment Simulation & Display (ESD) | ✓ |
| Traffic Sign Recognition (TSR) | ✓ |
| Go Notifier (GNF) | ✓ |
| Advanced Parking Assist (APA) | ✓ |
| Power Swap with Assisted Parking (PSAP) | ✓ |
| Side Distance Indication System (SDIS) | ✓ |
| Door Open Warning (DOW) | ✓ |

Safety and Assisted Driving Features

| | |
|------------------------------------|---|
| Autonomous Emergency Braking (AEB) | ✓ |
| Emergency Active Stop (EAS) | ✓ |
| Forward Collision Warning (FCW) | ✓ |
| Blind Spot Detection (BSD) | ✓ |
| Lane Change Alert (LCA) | ✓ |
| Lane Departure Warning (LDW) | ✓ |
| Lane Keeping Assist (LKA) | ✓ |
| Emergency Lane Keeping (ELK) | ✓ |

✓ Standaard

Veiligheid


| | |
|--|---|
| Aluminium anti-botsingsbalk voor | ✓ |
| Geavanceerd batterijmanagement-systeem | ✓ |
| Voorspanning van de veiligheidsgordels | ✓ |
| Intelligent veiligheidssysteem | ✓ |

SPECIFICATIES

Veiligheid

| | | |
|--|---|----|
| Airbags voor | ✓ | 2x |
| Zij-airbags voor | ✓ | 2x |
| Gordijnairbags zijkant | ✓ | 2x |
| Airbag middenvoor | ✓ | 1x |
| 360° HD Surround View Camera | ✓ | |
| Parkeersensoren voor en achter | ✓ | |
| Transparant chassis | ✓ | |
| Direct Tire Pressure Monitoring System (dTPMS) | ✓ | |
| Elektrisch kinderslot | ✓ | |
| Child Presence Detection (CPD) | ✓ | |
| Alarmsysteem | ✓ | |
| Anti-Lock Braking System (ABS) | ✓ | |
| Electronic Brake-Force Distribution (EBD) | ✓ | |
| Traction Control System (TCS) | ✓ | |
| Electronic Stability Program (ESP) | ✓ | |
| Emergency Brake Assist (EBA) | ✓ | |
| Hill Start Assist (HSA) | ✓ | |
| Dynamic Wheel Torque Control (DWT) | ✓ | |
| Cornering Brake Control (CBC) | ✓ | |
| Hill Descent Control (HDC) | ✓ | |
| Roll Stability Control (RSC) | ✓ | |

✓ Standaard



Configureer jouw EL8

Kies jouw uitvoering en batterij

NIO EL8

LAUNCH EDITION

| BATTERIJTYPE | BATTERY-AS-A-SERVICE | | KOOP BATTERIJ | |
|--------------------------|----------------------|-------------|----------------|-------------|
| | STANDARD RANGE | LONG RANGE | STANDARD RANGE | LONG RANGE |
| NETTO-CATALOGUSPRIJS* | € 64.025,62 | € 64.025,62 | € 73.942,98 | € 81.380,99 |
| BTW | € 13.445,38 | € 13.445,38 | € 15.528,02 | € 17.090,01 |
| BPM | € 0 | € 0 | € 0 | € 0 |
| FISCALE WAARDE | € 89.471 | € 98.471 | € 89.471 | € 98.471 |
| RIJKLAARMAAK-KOSTEN** | € 1.429 | € 1.429 | € 1.429 | € 1.429 |
| COSUMENTEN-ADVIESPRIJS* | € 78.900 | € 78.900 | € 90.900 | € 99.900 |
| BaaS (incl. btw / maand) | | | | |
| | € 169 | € 289 | | |

* De netto-catalogusprijs en consumentenadviesprijs van de auto met BaaS (Battery-as-a-Service) zijn exclusief batterij. Het maandbedrag voor BaaS komt bovenop het aankoopbedrag van de auto.

** De rijklaarmaakkosten (incl. btw) bevatten o.a. een volle batterij, transportkosten, reinigen binnen- en buitenkant, logistieke afhandeling, twee kentekenplaten en een afleverinspectie. Recyclingbijdrage auto (€ 20,00 incl. btw), recyclingbijdrage batterij (€65,00 incl. btw), kentekenregistratie (€ 47,65 btw-vrij) en tenaamstelling (€ 12,50 btw-vrij).

NIO EL8

EXECUTIVE - LAUNCH EDITION

- Executive middenconsole 2e zitrij
- 12-voudig elektrisch verstelbare achterstoelen met beensteun
- Slimme koelkast
- Premium Comfortpakket

| BATTERIJTYPE | BATTERY-AS-A-SERVICE | | KOOP BATTERIJ | |
|--------------------------|----------------------|-------------|----------------|-------------|
| | STANDARD RANGE | LONG RANGE | STANDARD RANGE | LONG RANGE |
| NETTO-CATALOGUSPRIJS* | € 68.157,85 | € 68.157,85 | € 78.075,21 | € 85.513,22 |
| BTW | € 14.313,15 | € 14.313,15 | € 16.395,79 | € 17.957,78 |
| BPM | € 0 | € 0 | € 0 | € 0 |
| FISCALE WAARDE | € 94.471 | € 103.471 | € 94.471 | € 103.471 |
| RIJKLAARMAAK-KOSTEN** | € 1.429 | € 1.429 | € 1.429 | € 1.429 |
| COSUMENTEN-ADVIESPRIJS* | € 83.900 | € 83.900 | € 95.900 | € 104.900 |
| BaaS (incl. btw / maand) | | | | |
| | € 169 | € 289 | | |

CONFIGUREER JOUW EL8

Kies jouw exterieurkleur



CLOUD WHITE

€ 0



DEEP BLACK

€ 1.000



NEW MOON SILVER

€ 1.000



SUNLIGHT GOLD

€ 2.000



EXCLUSIEF VOOR EL8:
NEBULA GREEN

€ 2.000

Kies jouw velgen



20"

BLACK CYCLONE LICHTMETALEN VELGEN
MET BLACK REMKLAUWEN

Standaard



21"

RESPLENDENCE LICHTMETALEN VELGEN
MET AIRGLOW ORANGE REMKLAUWEN

€ 1.500

Kies jouw velgen



22"

VIBRANT FORGED LICHTMETALEN VELGEN
MET AIRGLOW ORANGE REMKLAUWEN

€ 2.500

Kies jouw interieurthema & Smart Key

| | |
|---|---------|
| GRAPHITE GRAY | |
| MET GRAPHITE GRAY HEMELBEKLEDING + BLACK SMART KEY | € 0 |
| SEPIA BROWN | |
| MET GRAPHITE GRAY HEMELBEKLEDING + BLACK SMART KEY | € 500 |
| PALAZZO BEIGE | |
| MET GRAPHITE GRAY HEMELBEKLEDING + BLACK SMART KEY | € 1.000 |

Kies jouw opties



NOMI Mate

€ 1.000



Elektrisch uitklapbare trekhaak

€ 1.250



Premium Comfortpakket
(Standaard voor EL8 Executive)

€ 3.000

Kies jouw accessoires



Dakdragers

€ 440



Centrale opbergbak

€ 60



Driehoekige opbergdoos

€ 60



Vloermatten

€ 200



Kofferbakmat

€ 150



Bagagenet

€ 50



Siliconen Key Case

€ 24



Geurflacon

€ 40



Zachte kussens*

€ 70



Taillekussens**

€ 70



Winterbandenset

20"

€ 4.300



Winterbandenset

21"

€ 5.000

* Zachte kussens voor en achter kleuren: Sepia Brown, Palazzo Beige, Pine Green
** Taillekussens kleuren: Graphite Gray, Sepia Brown, Palazzo Beige, K2 Gray, Pine Green

Disclaimer: Omdat NIO producten en diensten voortdurend aanpast, kan de bovenstaande informatie dienovereenkomstig veranderen en variëren. Wij doen er alles aan om de volledigheid en nauwkeurigheid van de informatie te garanderen. Als gevolg van veranderende wet- en regelgeving, verschillen in het begrip van relevante informatie en het niet tijdig bijwerken van informatie, kunnen de daadwerkelijk aangeboden producten en diensten echter afwijken van de informatie in dit document. Fouten voorbehouden.

De beschikbaarheid van de modellen, opties, specificaties en kleuren kan per markt verschillen. NIO behoudt zich het recht voor om zonder voorafgaande kennisgeving wijzigingen aan te brengen in de voertuigvisualisaties. Er kunnen auto's worden getoond met optionele uitrusting die niet in alle markten verkrijgbaar is. Afbeeldingen of video's zijn uitsluitend bedoeld ter illustratie.

Neem voor meer informatie contact op met je NIO Specialist, stuur een e-mail naar contact.nl@nio.io of bel 00 8000 999 6699.





THE ALL-NEW
NIO eL8

Price List | 2025 Model Year

THE NETHERLANDS - JUNE 2024

THE ALL-NEW
NIO eL8

Specifications

Dimensions

| | |
|-----------------------------|----------|
| Length | 5,099 mm |
| Width (With Mirrors Folded) | 2,073 mm |
| Width (With Mirrors Out) | 2,199 mm |
| Height | 1,750 mm |
| Wheelbase | 3,070 mm |
| Front Track | 1,692 mm |
| Rear Track | 1,702 mm |
| Turning Circle | 12.4 m |

Off Road Dimensions

| | |
|--|--------|
| Ground Clearance (Unladen, Curb Weight) | 160 mm |
| Maximum Wading Depth | 450 mm |
| Approach Angle (Air Suspension Standard Position) | 17° |
| Breakover Angle (Air Suspension Standard Position) | 16.6° |
| Departure Angle (Air Suspension Standard Position) | 20° |

Weights

| | |
|------------------------------|----------|
| Curb Weight (Standard Range) | 2,538 kg |
| Curb Weight (Long Range) | 2,558 kg |
| Gross Vehicle Weight | 3,190 kg |
| Roof Rack Max Load | 75 kg |

SPECIFICATIONS

Vehicle Performance

0-100 km/h Acceleration (Sport+)

4.1 s

Top Speed

200 km/h

Intelligent E-AWD



Electric Drive System (EDS) - Front

Permanent Magnet
with SiC Power Module

Electric Drive System (EDS) - Rear

Induction Motor

Kilowatt Power (Combined Motors)

480 kW

Torque (Combined Motors)

850 Nm

Drag Coefficient

0.25 Cd

Braking Distance (100-0 km/h) (Performance Tires)

34.3 m

Drive Modes

10

Camping Mode



Pet Mode



✓ Standard

* At charging stations providing 660 A current under optimal conditions. With a typical 3rd party charger providing 500 A, charging power is up to 185 kW. The Long Range Battery is available in two versions with differing peak charging power. When a swap occurs in the BaaS network the Long Range Battery received may vary between 125 kW and 185 kW. Ambient conditions may impact charging speed.

** The range and efficiency shown are based on homologated data according to the Worldwide Harmonized Light Vehicle Test Procedure (WLTP) standards. Actual range and efficiency may vary due to driving behavior, option configuration, battery age, tires, road and weather conditions and vehicle load.

Charging and Range

Standard Range Net Capacity

73.5 kWh

Long Range Net Capacity

90 kWh

Battery Swap



AC Charge Power (Max)

11 kW

DC Charge Power (Max) (Standard Range)

140 kW

DC Charge Power (Max) (Long Range)

125 / 240* kW

DC Fast-Charge Time (10-80%) (Standard Range)

30 min

DC Fast-Charge Time (10-80%) (Long Range)

40 / 20* min

Efficiency (Standard Range)**

22.0 - 23.1 kWh / 100 km

Efficiency (Long Range)**

21.2 - 22.3 kWh / 100 km

WLTP Combined Range (Standard Range)**

390 - 375 km

WLTP Combined Range (Long Range)**

510 - 487 km

SPECIFICATIONS

Chassis

| | |
|--|--------------------------------------|
| Body & Chassis Construction | Ultra High Strength Steel & Aluminum |
| Integral Casting All-Aluminum Rear Floor | ✓ |
| Mega Casting Chassis Construction | ✓ |
| Weight Distribution (Front To Rear Axel) | 50-50 |
| Double Wishbone Front Suspension | ✓ |
| Multi-Link Rear Suspension | ✓ |
| Smart Air Suspension - Dual Chamber | ✓ |
| Hydraulic Rebound Stop | ✓ |
| Continuous Damping Control (CDC) | ✓ |
| Electric Power Steering (EPS) | ✓ |
| Brembo 6-Piston Front Brake Calipers | ✓ |
| Single-Piston Floating Rear Brake Calipers | ✓ |
| Black Calipers | ✓ (With 20" Wheels) |
| Airglow Orange Calipers | ✓ (With 21" / 22" Wheels) |
| Intelligent Smooth Stop (ISS) | ✓ |
| Regenerative Braking System | ✓ |

Exterior Features

| | |
|--|--------------------|
| Moon Theme Exterior Package | ✓ |
| Active Air Grille | ✓ |
| Sensor Activated Smart Charge Port Cover | ✓ |
| Double-Dash Daytime Running Lights | ✓ |
| Dual-Beam LED Headlights | ✓ |
| Adaptive Matrix LED Headlights | ✓ |
| Adaptive Cornering LED Fog Lights | ✓ |
| LED Sweeping Turn Signals | ✓ |
| illumiBlade Taillight | ✓ |
| Laminated Acoustic Glass (Front Windshield, Side, Rear) | ✓ |
| Rear Privacy Glass | ✓ |
| Anti-UV and Heat-Insulating Glass | ✓ |
| Power Panoramic Sunroof & Sunshade | ✓ |
| Panoramic Glass Roof Window Size | 1.3 m ² |
| Automatic Flush Door Handles | ✓ |
| Soft-Close Doors | ✓ |
| Heated, Auto-Dimming, Auto-Folding Side Mirrors | ✓ |
| Automatic Rain-Sensing Windshield Wipers | ✓ |
| Heated Wiper Bay | ✓ |
| Rear Windshield Wipers | ✓ |
| Roof Rails | ✓ |
| Kick-Activated Power Tailgate | ✓ |
| Electrically Deployable Tow Bar (Including Trailer Mode) | Option (2,000 kg) |

SPECIFICATIONS

Interior Features

| | |
|--|------------------------|
| Cabin Length | 1,931 mm |
| Cabin Width (Front) | 1,572 mm |
| Cabin Width (Rear) | 1,553 mm |
| Front Passenger Headroom | 999 mm |
| Rear Passenger Headroom | 996 mm |
| Rear Passenger Headroom (3rd Row) | 918 mm |
| Rear Passenger Legroom | 1,135 mm |
| Rear Passenger Legroom (3rd Row) | 828 mm |
| Load Space Capacity (All Seats Up) | 265 L |
| Load Space Capacity (3rd Row Seats Folded) | 810 L |
| Antibacterial and Stain-Resistant Interior Treatment | ✓ |
| Sustainable Rattan Decor | ✓ |
| Microfiber Headliner | ✓ |
| Dynamic Waterfall Ambient Lighting | ✓ |
| Rhythmic Speaker Covers | ✓ |
| Illuminated Door Sill Inlays | ✓ |
| Smart Safe Box | ✓ |
| Smart Refrigerator | ✓ (EL8 Executive) |
| Trunk Cover | ✓ |
| Trunk Underfloor Storage | ✓ |
| Cargo Tie-Downs | ✓ |
| 1st Row Wireless Charging Pad | ✓ 40 W |
| 2nd Row Wireless Charging Pad | ✓ 40 W (EL8 Executive) |

✓ Standard

| | | |
|-------------------------|-------------------|-------------------|
| USB Type-C Port (2.5 W) | ✓ | 1x |
| USB Type-C Port (60 W) | ✓ | 7x |
| 12V Power Socket | ✓ | 1x Front 1x Trunk |
| ISOFIX | ✓ | 4x |
| Executive Console | ✓ (EL8 Executive) | |

Climate Control

| | |
|---|----------|
| Automatic Climate Control | ✓ 5-Zone |
| Smart Invisible Air Vents | ✓ |
| Smart Fragrance System | ✓ |
| Smart Air Quality System | ✓ |
| Ionizer | ✓ |
| PM2.5 Sensor | ✓ |
| Antimicrobial and Anti-Allergen Activated Carbon Air Filter | ✓ |

Seating

| | |
|--|-------------------|
| Seats | 6 |
| Front Premium Seats with Independent Headrests | ✓ |
| Haptex Perforated Artificial Leather Seats | ✓ |
| 20-Way Front Premium Driver Seat with 22-Way Powered Front Premium Passenger Lounge Seat | ✓ |
| 14-Way Rear Seats | ✓ (EL8) |
| 12-Way Ottoman Rear Seats | ✓ (EL8 Executive) |

SPECIFICATIONS

Seating

| | |
|-------------------------------------|-------------------------------|
| 2-Way 3rd Row Seats | ✓ |
| Front Seat Memory and Easy Entry | ✓ |
| Front Seat Heating | ✓ |
| Front Seat Ventilation | ✓ |
| Front Seat Hot Stone Massage | Option (Premium Comfort Pack) |
| Front Seat Air Cushion | ✓ (3-Airbag) |
| Rear Seat Memory | ✓ |
| Rear Seat Heating | ✓ |
| Rear Seat Ventilation | Option (Premium Comfort Pack) |
| Rear Seat Hot Stone Massage | Option (Premium Comfort Pack) |
| Rear Seat Air Cushion | ✓ |
| 3rd Row Easy Entry | ✓ |
| 3rd Row Heating | Option (Premium Comfort Pack) |
| Split-Folding 3rd Row Seats (50:50) | ✓ |

Smart Cockpit

| | |
|------------------------------|--------|
| NIO Smart System - Banyan | ✓ |
| Firmware Over-the-Air (FOTA) | ✓ |
| Software Over-the-Air (SOTA) | ✓ |
| NOMI Halo | ✓ |
| NOMI Mate | Option |
| NOMI GPT | ✓ |

✓ Standard

| | | |
|---|---|----|
| 16.3" Head-Up Display | ✓ | |
| 10.2" HDR Digital Instrument Cluster | ✓ | |
| 12.8" AMOLED Center Display | ✓ | |
| 6.6" Rear HDR Touch Display | ✓ | |
| 7.1.4 Immersive Sound System (23 Speakers, 2,230 W) | ✓ | |
| Tweeter | ✓ | 7x |
| Midrange | ✓ | 7x |
| Woofers | ✓ | 4x |
| Subwoofer | ✓ | 1x |
| 3D Orientation | ✓ | 4x |
| Power Amplifier | ✓ | 1x |
| Dirac Pro | ✓ | |
| Dolby Atmos | ✓ | |
| DAB/Online DAB | ✓ | |
| Bluetooth | ✓ | |
| Ultra Wideband (UWB) | ✓ | |
| Digital Key | ✓ | |
| UWB Smart Key | ✓ | |
| NFC Key Card | ✓ | |
| NIO Call & eCall | ✓ | |

SPECIFICATIONS

Assisted and Intelligent Driving Hardware

| | | |
|--|---|-----|
| NIO AQUILA Super Sensing with 33 High-Performance Sensing Units: | ✓ | |
| Ultralong-Range High-Resolution LiDAR | ✓ | |
| 8 MP High-Resolution Cameras | ✓ | 7x |
| 3 MP High Light Sensitive Surround View Camera | ✓ | 4x |
| Advanced Driver Monitoring System | ✓ | |
| Millimeter-Wave Radar | ✓ | 5x |
| Ultrasonic Sensor | ✓ | 12x |
| Hands-Off Detection (HOD) | ✓ | |
| High-Precision Positioning Unit | ✓ | 2x |
| NIO ADAM Super Computing | ✓ | |
| Cockpit Domain Controller | ✓ | |
| Intelligent Chassis Controller | ✓ | |

| | |
|--|---|
| Adaptive Cruise Control (ACC) | ✓ |
| Lane Centering Control (LCC) | ✓ |
| Active Lane Change (ALC) | ✓ |
| Predictive Speed Control (PSC) | ✓ |
| Speed Limiter (LIM) | ✓ |
| Smart Speed Assist (SSA) | ✓ |
| Front Cross Traffic Alert (FCTA) | ✓ |
| Rear Cross Traffic Alert with Brake (RCTA-B) | ✓ |
| Driver Monitoring System (DMS) | ✓ |
| Dynamic Environment Simulation & Display (ESD) | ✓ |
| Traffic Sign Recognition (TSR) | ✓ |
| Go Notifier (GNF) | ✓ |
| Advanced Parking Assist (APA) | ✓ |
| Power Swap with Assisted Parking (PSAP) | ✓ |
| Side Distance Indication System (SDIS) | ✓ |
| Door Open Warning (DOW) | ✓ |

Safety and Assisted Driving Features

| | |
|------------------------------------|---|
| Autonomous Emergency Braking (AEB) | ✓ |
| Emergency Active Stop (EAS) | ✓ |
| Forward Collision Warning (FCW) | ✓ |
| Blind Spot Detection (BSD) | ✓ |
| Lane Change Alert (LCA) | ✓ |
| Lane Departure Warning (LDW) | ✓ |
| Lane Keeping Assist (LKA) | ✓ |
| Emergency Lane Keeping (ELK) | ✓ |

✓ Standard

Safety Features


| | |
|-------------------------------------|---|
| Aluminium Front Anti-Collision Beam | ✓ |
| Advanced Battery Management System | ✓ |
| Seatbelt Pre-Tension | ✓ |
| Smart Safety System | ✓ |

SPECIFICATIONS

Safety Features

| | | |
|--|---|----|
| Front Airbags | ✓ | 2x |
| Front Side Airbags | ✓ | 2x |
| Side Curtain Airbags | ✓ | 2x |
| Front Center Airbag | ✓ | 1x |
| 360° HD Surround View Camera | ✓ | |
| Front & Rear Parking Radars | ✓ | |
| Transparent Chassis | ✓ | |
| Direct Tire Pressure Monitoring System (dTPMS) | ✓ | |
| Power Child Locks | ✓ | |
| Child Presence Detection (CPD) | ✓ | |
| Anti-Theft Alarm System | ✓ | |
| Anti-Lock Braking System (ABS) | ✓ | |
| Electronic Brake-Force Distribution (EBD) | ✓ | |
| Traction Control System (TCS) | ✓ | |
| Electronic Stability Program (ESP) | ✓ | |
| Emergency Brake Assist (EBA) | ✓ | |
| Hill Start Assist (HSA) | ✓ | |
| Dynamic Wheel Torque Control (DWT) | ✓ | |
| Cornering Brake Control (CBC) | ✓ | |
| Hill Descent Control (HDC) | ✓ | |
| Roll Stability Control (RSC) | ✓ | |

✓ Standard



Configure Your EL8

Choose Your Version and Battery

NIO EL8

LAUNCH EDITION

| BATTERY TYPE | BATTERY-AS-A-SERVICE | | KOOP BATTERIJ | |
|--------------------------|----------------------|-------------|----------------|-------------|
| | STANDARD RANGE | LONG RANGE | STANDARD RANGE | LONG RANGE |
| NET LIST PRICE* | € 64,025.62 | € 64,025.62 | € 73,942.98 | € 81,380.99 |
| VAT | € 13,445.38 | € 13,445.38 | € 15,528.02 | € 17,090.01 |
| BPM | € 0 | € 0 | € 0 | € 0 |
| FISCAL VALUE | € 89,471 | € 98,471 | € 89,471 | € 98,471 |
| DELIVERY COSTS** | € 1,429 | € 1,429 | € 1,429 | € 1,429 |
| COSUMER PRICE* | € 78,900 | € 78,900 | € 90,900 | € 99,900 |
| BaaS (Incl. VAT / Month) | | | | |
| | € 169 | € 289 | | |

* The net list price and consumer price of the car with BaaS (Battery-as-a-Service) are excluding battery. The monthly fee for BaaS is on top of the purchase price of the car.

** The delivery costs (incl. VAT) include a full battery, transport costs, interior and exterior cleaning, logistic handling, two license plates and a delivery inspection. Recycling fee car (€ 20.00 incl. VAT), recycling fee battery (€ 65.00 incl. VAT), license plate fee (€ 47.65 VAT-free) and name registration fee (€ 12.50 VAT-free).

NIO EL8

EXECUTIVE - LAUNCH EDITION

- 2nd Row Executive Console
- 2nd Row 12-Way Ottoman Seats
- Smart Refrigerator
- Premium Comfort Package

| BATTERY TYPE | BATTERY-AS-A-SERVICE | | KOOP BATTERIJ | |
|--------------------------|----------------------|-------------|----------------|-------------|
| | STANDARD RANGE | LONG RANGE | STANDARD RANGE | LONG RANGE |
| NET LIST PRICE* | € 68,157.85 | € 68,157.85 | € 78,075.21 | € 85,513.22 |
| VAT | € 14,313.15 | € 14,313.15 | € 16,395.79 | € 17,957.78 |
| BPM | € 0 | € 0 | € 0 | € 0 |
| FISCAL VALUE | € 94,471 | € 103,471 | € 94,471 | € 103,471 |
| DELIVERY COSTS** | € 1,429 | € 1,429 | € 1,429 | € 1,429 |
| COSUMER PRICE* | € 83,900 | € 83,900 | € 95,900 | € 104,900 |
| BaaS (Incl. VAT / Month) | | | | |
| | € 169 | € 289 | | |

CONFIGURE YOUR EL8

Choose Your Exterior Color



CLOUD WHITE

€ 0



DEEP BLACK

€ 1,000



NEW MOON SILVER

€ 1,000



SUNLIGHT GOLD

€ 2,000



HERO COLOR:
NEBULA GREEN

€ 2,000

CONFIGURE YOUR EL8

Choose Your Wheels



20"

BLACK CYCLONE ALLOY WHEELS
WITH BLACK CALIPERS

Standard



21"

RESPLENDENCE ALLOY WHEELS
WITH AIRGLOW ORANGE CALIPERS

€ 1,500

Choose Your Wheels



22"

VIBRANT FORGED ALLOY WHEELS
WITH AIRGLOW ORANGE CALIPERS

€ 2,500

Choose YouR Interior Theme & Key Fob

| | |
|---|---------|
| GRAPHITE GRAY | |
| WITH GRAPHITE GRAY HEADLINER + BLACK KEY FOB | € 0 |
| SEPIA BROWN | |
| WITH GRAPHITE GRAY HEADLINER + BLACK KEY FOB | € 500 |
| PALAZZO BEIGE | |
| WITH GRAPHITE GRAY HEADLINER + BLACK KEY FOB | € 1,000 |

Choose Your Options



NOMI Mate

€ 1,000



Electrically Deployable Towbar

€ 1,250



Premium Comfort Package
(Standard for EL8 Executive)

€ 3,000

Choose Your Accessories



Roof Rack

€ 440



Central Storage Tray

€ 60



Triangle Storage Box

€ 60



Floor Mats

€ 200



Trunk Mat

€ 150



Storage Net

€ 50



Silicone Key Case

€ 24



Fragrance Bottle

€ 40



Soft Pillows*

€ 70



Waist Pillows**

€ 70



Winter Wheels and Tires

20"

€ 4,300



Winter Wheels and Tires

21"

€ 5,000

* Soft Pillow Front and Rear Colors: Sepia Brown, Palazzo Beige, Pine Green

** Waist Pillow Colors: Graphite Gray, Sepia Brown, Palazzo Beige, K2 Gray, Pine Green

Disclaimer: As NIO will constantly retrofit its products and services, the above information may change and vary accordingly. We will spare no efforts in ensuring information completeness and accuracy. However, due to changing laws and regulations, differences in individual's understanding of relevant information, and untimeliness in information update, actual products and services offered may vary from the information contained in this document. Errors excepted.

The Availability of vehicle models, options, specifications and colors may vary by market. NIO reserves the right to make changes to vehicle visualizations without notice. Vehicles may be shown with optional equipment that is not available in all markets. Images or videos are for illustrative purposes only.

For more information, please contact your NIO Specialist, send an email to contact.nl@nio.io or call 00 8000 999 6699.

